April 28, 2000

<u>MEMORANDUM</u>

TO:

Steve West, Assistant Administrator

Boise Regional Office

FROM:

Bill Rogers, Air Quality Engineer ←

State Technical Services Office

SUBJECT:

TIER II OPERATING PERMIT TECHNICAL ANALYSIS

T2000002, EPSCO Corporation, Boise

(Abrasive Blasting, Powder Coating, and HVLP Spray Painting Facility)

PURPOSE

The purpose for this memorandum is to satisfy the requirements of IDAPA 16.01.01.400 (Rules for the Control of Air Pollution in Idaho) for issuing Tier II Operating Permits.

PROJECT DESCRIPTION

The EPSCO Corporation has submitted a Tier II Operating Permit (OP) application for an existing facility located in Boise, Idaho. The primary activities at the facility are abrasive blasting and industrial paint coating. The media used for abrasive blasting is either mineral abrasives, smelter slag, or steel shot. The industrial paint coating processes are electrostatic powder coating and high volume low pressure (HVLP) spray painting.

SUMMARY OF EVENTS

On May 5, 1999, DEQ received a Permit to Construct (PTC) application from the EPSCO Corporation. On June 15, 1999, the application was declared incomplete. On June 21, 1999, DEQ staff visited the facility to provide assistance in completing the required application materials. On June 25, 1999, DEQ received the items addressed in the incompleteness letter. On July 26, 1999, DEQ determined the application complete. On November 19, 1999, DEQ staff visited the facility and discovered the facility operated an HVLP spray painting process which was not included in the PTC application. On November 30, 1999, DEQ staff met with EPSCO staff and requested all Material Safety Data Sheets (MSDS) for all the paint products used at the facility. The requested MSDS's were received by DEQ on December 29, 1999. On January 12, 2000 DEQ informed EPSCO that the PTC application would be processed as a Tier II OP. The application was determined complete on February 18, 2000.

DISCUSSION

1. Abrasive Blasting

Abrasive blasting is used for a variety of surface cleaning and texturing operations, mostly involving metallic target materials. Sand is the most widely used blasting abrasive. Other abrasive materials include coal slag, smelter slag, mineral abrasives, metallic abrasives, and synthetic abrasives. Abrasive materials are generally classified as: sand, slag, metallic shot or grit, synthetic, or other. The cost and properties associated with the abrasive material dictate its application.

Silica sand is the most commonly used material for abrasive blasting where reclaiming is not feasible, such as in unconfined abrasive blasting operations. Sand has a rather high breakdown rate, which can result in substantial dust generation. Worker exposure to free crystalline silica is of concern when silica sand is used for abrasive blasting.

Coal and smelter slags are commonly used for abrasive blasting in shipyards. Slags have the advantage of low silica content, but have been documented to release other contaminants, including hazardous air pollutants into the air.

Metallic abrasives include case iron shot, cast iron grit, and steel shot. Cast iron shot is hard and brittle and is produced by spraying molten cast iron into a water bath. Cast iron grit is produced by crushing oversized and irregular particles formed during the manufacture of cast iron shot. Steel shot is produced by blowing molten steel. Steel shot is not as hard as cast iron shot, but is much more durable. These materials typically are reclaimed and reused.

Synthetic abrasives, such as silicon carbide and aluminum oxide, are becoming popular substitutes for sand. These abrasives are more durable and create less dust than sand. These materials are typically reclaimed and reused.

Other abrasives include mineral abrasives (such as gamet), cut plastic, glass beads crushed glass, and nutshells. As with metallic and synthetic abrasives, these other abrasives are generally used in operations where the material is reclaimed. Mineral abrasives are reported to create significantly less dust than sand and slag abrasives.

Three basic methods can be used to project the abrasive towards the surface being cleaned: air pressure; centrifugal wheels; or water pressure. Air blast (or dry) systems use compressed air to propel the abrasive using either a suction-type or pressure-type process. EPSCO's process is a dry suction-type process therefore only that process will be addressed in this analysis. EPSCO's abrasive blasting system consists of an abrasive container (i.e. blasting pot), an air compressor, and an abrasive blasting nozzle. In this system, two rubber hoses are connected to a blasting gun. One hose is connected to the compressed air supply and the other is connected to the bottom of the blasting pot. The gun consists of an air nozzle that discharges into a larger nozzle. The high velocity air jet creates a partial vacuum in the chamber. This vacuum draws the abrasive into the outer nozzle and expels it through the discharge opening.

1.1 Blast Booth Equipment Listing and Stack Information

The blast booth has the following specifications:

Manufacturer: Unknown
Booth Dimensions 48' x 10' x 8'

Blast Media: Smelter Slag, Steel Shot, Mineral Abrasive

Maximum Blasting Rate: 500 lb abrasive/hr

Emissions from the blast booth exit to the atmosphere out the filter box. The filter box contains two particulate filters that have a combined control efficiency of 98% for PM-10 size particulate matter. The stack parameters for the filter box, or vent, are:

Vent ID: Blast Booth
Vent Height: Ground Level
Vent Diameter: 18 inches
Vent Exit Gas Volume: 4500 acfm
Vent Exit Gas Temperature: Ambient

¹ <u>Abrasive Blasting</u>, USEPA, Office of Air Quality Planning and Standards, AP-42 (Research Triangle Park, NC, 9/97), p. 13.2.6-1

1.2 Abrasive Blasting Emission Estimates

Because metallic and mineral abrasives have similar abrasive characteristics, hereinafter they are collectively identified as shot for the purposes of estimating emissions. The only other abrasive blasting media used is smelter slag. Smelter slag produces more dust than shot, therefore, it represents the worst case abrasive used in terms of PM-10 emissions. Its emission factor was used to determine the potential to emit (PTE) PM-10. As far as Toxic Air Pollutants (TAP's) are concerned, the MSDS submitted to smelter slag lists no toxic substance that is regulated by the state of Idaho as a TAP when an itself to the atmosphere.

Conversely, shot represents the worst case abrasive used in terms of TAP amissions. The MSDS's submitted identify five toxic metals and quarte, that, then emitted to the atmosphere, are regulated TAP's. EPA's APA does list specific emission actor to TAP's from abrasive blasting operations. It does how to elist an emission factor to TAP's emissions that was used to estimate TAP emissions since in traps are solid phase matter (metals and quartz). TAP emissions were therefore estimated by multiplying the PM emission factor by the weight percent of each specific TAP.

The emission factors used to estimate potential PM-10 emissions and TAP's from the smelter slag and shot were obtained from AP-12, Section 13.2.6 (9/97). The emission estimates, MSDS's, and a copy of AP-42, Section 13.2.6 (9/97) are presented as Appendix A of this technical analysis. Table 1 summarizes the results of the emissions analysis.

Table 1. Abrasive Blast Booth Emission Estimates

	niki ili	2		
POLLUTANT	EMISSION RATE	NEE SCREENING EMISSION LEVEL (EL) Ib/hr	POTENTIAL TO EMIT T/yr	TAP IDAPA 16.01.01.
PM-10 (smelter slag)	77.08	NA	0.11	NA ·
PM-10 (shot)	0.02	NA	smelter slag is limiting	NA
Fe 📜	³0.019	0.067	0.04	585
Mn 🏄 🥍	2.6E-04	0.333	5.8E-04	585
Si 🏥	2.4E-04	0.667	5.4E-04	585
	1.0E-04	0.0067	2.2E-04	585
Cr metal	5.0E-05	0.033	1.1E-04	585
Ni	4.0E-05	2.7E-05	9.0E-05	586
	PM-10 (smelter slag) PM-10 (shot) Fe Mn Si quartz Cr metal	PM-10 (smelter slag) 0.05 PM-10 (shot) 0.02 (shot) 2.6E-04 Si 2.4E-04 quartz 1.0E-04 Cr metal 5.0E-05	POLLUTANT EMISSION RATE SCREENING EMISSION LEVEL (EL) Ib/hr PM-10 (smelter slag) PM-10 (shot) Fe	POLLUTANT EMISSION RATE SCREENING EMISSION TO EMIT TO

As far as the TAP's are concerned, the only emission rate that exceeds its respective EL is that of nickel (Ni). Because the EL is exceeded, the emission rate was modeled to determine compliance or noncompliance with its acceptable ambient concentration (AACC). Using the results of the modeling analysis for the blast booth, the predicted impact for Ni emissions is shown to be less than its AACC, thereby demonstrating compliance.

The emission rates listed in Table 1 are controlled emissions. The blast booth is fully enclosed and double particulate filters filter the booth air before its exhausted from the booth vent. The filters provide a combined PM-10 controllefficiency of 38%. Per a directive from DEQ's Boise Regional Office, the high PM-10 background concentration in the Ada/Canyon County areas dictates that any new source or modification not exceed the ambient significant contribution for PM-10 as defined in the (Rules). This facility also includes one other PM-10 emitting source, the HVLP spray painting process. Because the facility annotrexceed the 24-hour and annual significant contribution for PM-10, which are 5.0 ug/m3 and 1.0 ug/m3, respectively, each process (abrasive blasting FVLP painting) is allowed a PM-10 impact equal to one-half of the significant contribution of 2.5 ug/m3, 24-hr average, and 0.5 ug/m3, annual average.

With that in mind, modeling of the blast booth yent conservatively indicates the applicant can operate the blast booth for a maximum of twelve (12) hours per day and four thousand, four hundred eighty-five (4485) hr/yr while demonstrating compliance with one-half of the PM-10 significant contribution levels. Subsequently PM-10 emissions are regulated in the permit on a daily and annual basis. The daily PM-10 emission rate limit is 0.60 lb/day (0.05 lb/hr x 12 hr/day) and the annual PM-10 emission rate limit is 0.11 T/yr (0.05 lb/hr x 4485 hr/yr x 1T/2000 lb). The time limitation applies only when the abrasive blasting gun is operating. The time limitation does not apply during preparation or clean-up. Compliance will be demonstrated by monitoring and recording the operating hours daily and monthly. Again, the emission estimates are based on the maximum abrasive blasting rate, therefore, the amount of blasting media does not have to monitored as it is inherently limited by the time limitation. Additionally the Tell I OP requires the applicant to develop an Operations and Maintenance (O&M) Manual to the plast booth's particulate filters. Compliance will be demonstrated by monitoring and recording the filter replacements based on an the schedule outlined in the O&M Manual.

Powder Coating Process Description

1777

Powder coating is dry paint as opposed to a medium dissolved or suspended in a liquid, such as solvent or water. The powder coating process involves a powder feeder unit, electrostatic powder spray gun, a voltage source, spray booth and curing ovens. An electrostatic charge is imparted on the powder at the powder gun. Compressed air is used to transfer the powder from the gun to the metal surface. The metal surface to be painted is grounded to complete the electrical circuit. The charged powder particles are then attracted to the grounded metal surface.

EPSCO's powder coating process is performed within an enclosed paint booth. DEQ staff visited the facility and observed the powder coating process, and based on observation, determined this source to be negligible for PM emissions. Additional supporting information is described below.

A January 1997 EPA document entitled "Finishing Fabricated Metal Products with Powder Coating" was reviewed for this analysis. Among other things, the document compares the transfer efficiency of powder coating processes versus that of conventional spray painting processes. According to the

Technical Analysis/EPSCO Corporation April 28, 2000 Page 5 of 9

document, the transfer efficiency for powder coating processes ranges from 95 to 98% whereas the transfer efficiency of a conventional spray painting process is only 20 to 40%. Powder coating that does not adhere onto the metal surface simply falls to the floor where it is later swept up and recycled back into the process.

Powder coating systems eliminate the need for exhaust stacks because particulate matter emissions are not released into the environment. In addition, powder coatings do not contain VOC's or hazardous air pollutants (HAP's); therefore, these pollutant are not emitted into the environment. Because the powder coating process does not have a potential to emit, permit, requirements do not apply.

3. HVLP Spray Painting Process

HVLP painting is performed in the same paint booth as powder coating. Some of the advantages of using an HVLP spray painting process versus other spray painting processes are: HVLP processes have higher transfer efficiencies; and due to lower air pressure, use less paint and produce less spray dust and overspray fog. All of which result in less politicants emitted to the atmosphere.

Emissions from the paint booth vent were estimated using a spreadsheet. The regulated pollutants of concern are VOC's, PM-10, and TAP's. Section 3.1 lists the stack information for the HVLP booth. Section 3.2 describes how emissions were estimated.

3.1 HVLP Booth Equipment Listing and Stack Information

The HVLP booth has the following specifications

Manufacturer: Unknown
Booth Dimensions: 18"x 10' x 8'

Paint Products Used: SEE SPREADSHEET PAGE 1 APPENDIX B

Maximum HVLP Painting Rate: 3.43 gal/hr

Emissions from the HVLP booth exit to the atmosphere out the filter box. The filter box contains two particulate filters that have a combined control efficiency of 98% for PM-10 size material. VOC emissions are uncontrolled. The parameters for the vent are as follows:

Vent ID: HVLP Booth;
Vent Height: Ground Level;
Vent Diameter; 24 inches;
Vent Exit Gas Volume: 7850 acfm;
Vent Exit Gas Temperature: Ambient.

3.2 HVLP Spray Painting Emission Estimates

The spreadsheet developed to estimate emissions incorporates information contained in the MSDS's submitted by EPSCO for their HVLP paint inventory. The MSDS's provide the VOC content of the paint (lb VOC/gal), the paint density (total weight of paint, solids plus volatile (lb/gal)), the weight percent solids, and the weight percent HAP's (as TAP's). Only those toxic substances that are regulated as TAP's when emitted to the atmosphere are included in the spreadsheet. The spreadsheet consists of two pages and is presented as Appendix B of this document.

Referring to Page 1 of the spreadsheet, each paint product is identified by name, manufacturer number, product description (color or tint base), VOC content, and paint density. The TAP's contained in each paint product are identified by chemical name and by Chemical Abstract Service (CAS) number. The weight percent of each TAP is also listed.

The last column on the right-hand side of the spreadsheet lists the total content of each TAP for each row. For example, under the column, TAP-A TOTAL, toldene is listed as 3.32 lb/gal. That value was calculated by multiplying the VOC content of HITEMS STOVE BLACK (the only paint product in row A that contains toluene) by the weight percent toluene (6.27 lb VOC/gal x 0.53 lb toluene/lb VOC = 3.32 lb toluene/gal). Those TAP's that are contained in more than one paint product are simply summed across the row and the total listed in the last column. Xylene for example. In row B, quartz and mica are listed. These TAP's were quantified as the examples above, except the these TAP's are solids so the density and weight percent solids were used in place of VCC content. In row D, carbon black, silica, and calcium carbonate are listed. These TAP's are solids as well however the MSDS did not provided a weight percent solids value for them. They were calculated by using the density of the paint only.

Page 2 of Appendix B contains the total content of each TAP's from Page 1. The values listed under the columns labeled TAP CONTENT are simply the sum of each TAP from each row from Page 1. The column labeled TAP EMISSION RATE is the TAP CONTENT [lb/gal] multiplied by the HVLP maximum flowrate [gal/ni]. The emission rates for the PM-10 TAP's include the control efficiency of 98% for the particulate filters, a paint transfer efficiency of 92%, and a multiplier of 0.78 (AP-42) to convert PM to PM-10. VOC emissions are not controlled by a control device, such as a filter, in this process. Therefore, the TAP emission rates listed in the VOC portion of the spreadsheet are the TAP CONTENT multiplied by the HVLP maximum flowrate.

As with the abrasive blasting process, PM-10 emissions from the HVLP spray painting process are only allowed to be emitted up to one-half of the ambient PM-10 standards or 2.5 ug/m3, 24-hour average, and 0.5 ug/m3, annual average. Modeling the HVLP paint booth vent indicates that the HVLP spray paint process can operate 6.0 hr/day and 2,020 hr/yr and demonstrate compliance with the PM-10 ambient standards identified above.

The TAP EMISSION RATES do not include the hourly time restriction. That being the case, each TAP EMISSION RATE was compared to its respective EL. The emission rates that exceeded their EL were modeled and compared to their respective AAC. The MODELED 24-HR MAX predicted impacts include the hourly time restriction since that value is included in the permit as an enforceable requirement. As is indicated in the spreadsheet, none of the TAP's exceed their AAC's.

Finally, controlled PM-10 and VOC emissions were quantified for permit applicability. Neither PM-10 or VOC emissions are major. Likewise, TAP emissions are not major.

4. Modeling

Modeling of PM-10 emissions from the abrasive blast booth and HVLP paint booth was conducted using SCREEN3 modeling program. Based on the modeled results, the blast booth operations and HVLP painting operations require daily and annual limitation in order to meet the PM-10 ambient standards of 5.0 ug/m3, 24-hr average, and 1.0 ug/m3, annual average. The modeling results and calculations are presented in Appendices A and B of this technical analysis.

5. Facility Classification

The EPSCO Corporation is not a major facility as defined in IDAPA 16.01.01.006.55. The facility is not a designated facility as defined in IDAPA 16.01.01.006.27. The facility is not subject to any federal New Source Performance Standards (NSPS) in accordance with 40 CFR 60, National Emission Standards for Hazardous Air Pollutants (NESHAP) in accordance with 40 CFR 61, or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACT) in accordance with 40 CFR 63. The Standard Industrial Classification (SIC) code defining this facility is 3479 (Coating of Metal Parts Not Elsewhere Classified), and the facility is classified A2.

6. Area Classification

The EPSCO Corporation is located in Boise, Idaho which is located in Air Quality Control Region (AQCR) 64 and Zone 11. This region is designated as nonattainment for CO and attainment or unclassifiable for all other regulated criteria air pollutants. Monitoring has shown the area has a high PM-10 background concentration. By directive of DECL Boise Regional Office, any new facility or modification is limited to PM-10 ambient impacts of 5.0 ug/m3, 24-hr average and 1.0 ug/m3, annual average.

7. Regulatory Review

The following is an explanation of the applicable air quality rules and regulations for the proposed project.

7.1 IDAPA 16.01.01.401 Tier/I Operating Permit

The facility is an existing facility which requires a Tier II Operating Permit in accordance with IDAPA 16.01.01.401.03.

7.2 IDAPA 16.01.01.577 Ambient Air Quality Standards for Specific Air Pollutants

PM-10 emissions from the abrasive blast booth and HVLP spray paint booth have been modeled to demonstrate compliance with the significant contribution PM-10 ambient standards. Emissions from the powder coating system have been determined to be negligible and do not require specific regulation.

7.3 IDAPA 15.01.01.585 & 586 Non-Carcinogenic and Carcinogenic Toxic Air Pollutant Standards

TAP emissions have been estimated for the abrasive blasting process and HVLP spray painting process. Those TAP's which exceeded their respective net screening emission levels. (EL's) were modeled to demonstrate compliance or non-compliance with their respective acceptable ambient concentrations (AAC's and AACC's). All TAP's are shown to demonstrate compliance with their applicable ambient concentrations.

8. Permit Requirements

The following Section outlines each Tier II OP requirement and the regulatory/technical basis.

8.1 Emission Limits

Controlled PM-10 lb/day and T/yr emission rate limits have been specified for the abrasive blast booth and HVLP spray paint booth. The emission rate limits are based on the hours of operation limitations determined through modeling. The emissions are the maximum allowable limits that demonstrate compliance with the PM-10 ambient standards identified in this document.

All stacks, vents, and other openings at this facility must comply with the opacity rules contained in IDAPA 16.01.01.625. In addition to the opacity requirement, any fugitive emissions generated from facility operations must not be seen crossing the facility boundary.

8.2 Operating Requirements

The abrasive blast booth and HVLP spray paint booth has daily and annual hours of operation limits which correspond to the PM-10 emission rate limits. The hours of operation limits were determined through modeling.

The facility is required to reasonably control fugitive emissions per IDAPA 16.01.01.651.

The facility is required to control their emissions of odorous gases per IDAPA 16.01.01.776.

Outdoor abrasive blasting is not allowed by this permit. The Permittee is required to obtain DEQ approval before any outdoor blasting occurs. Approval from DEQ may be that a permit is required.

The Permittee is not allowed to use any paint product with VOC contents or HAP contents greater than those listed in the MSDS's submitted in their permit application and upon which this analysis is based. Different paint manufacturers product can be used so long as the products adhere to the above limit.

8.3 Monitoring Requirements

The facility will be required to maintain a log of daily and monthly hours of operation of the abrasive plast booth and HVLP spray painting booth. Monitoring is not required on days where there is no use. Monthly monitoring is stated so that inspectors may be able to determine compliance for any 12-month period.

There were no requirements developed for the powder coating process. EPA research on powder coating operations have determined that VOC and PM emissions are negligible.

9. Permit Coordination

A draft copy of the Tier II OP and technical analysis was made available for public comment in accordance with IDAPA 16.01.01.404.01.c.

AIRS Information

Information necessary to the AIRS database is included as Attachment C of this Technical Memorandum.

Technical Analysis/EPSCO Corporation April 28, 2000 Page 9 of 9

FEES

This facility was required to obtain a Tier II Operating Permit by the Department for the purposes of fulfilling the requirements for a Permit to Construct. Consequently, the application fee of five hundred dollars (\$500) is not applicable.

RECOMMENDATION

Based on review of application materials and all applicable state and federal rules and regulations, staff recommends that EPSCO Corporation be issued Tier II Operating Permit No. 001-00155 for their abrasive blasting and industrial coating facility located in Boise, Idaho. A public comment period is required in accordance with IDAPA 16.01.01.404.01.c.

WR/tk G:\ahmrogers\op\epsco\t200002.tw

cc: DEQ State Office Boise RO



APPENDIX A

Emission Estimates - Abrasive Blasting

EPSCO Corporation T2-000002 April 2000

Aprafice Blusting Emission Estimate:
PM-10 envision from smotin slag - AP-42 27 15 PM/1000 16 africa W() 0.24) = 0.0065 16 PM/12 abundury. For this snalysis, it is assumed PM-10 = 0.78 PM (Ap. 42 App B 1, 12,1

Mylimum blasting rute = 500 16/1+.

" (0.0065 16 pm/16 at hintens (0.78) = 0.005 16 pm-10/16 at.

13-782 42-381 42-382 42-389 42-389 42-389 Maleins

" (500 15 strusing pr) 0.005 15 pm-10/16 abouting 1-0.98) = 0.05 lb/. to filter control x

PM-10 Smiling Strudenls = 5.0 mg/m3 (24. hr Ave) & however, asnasing blasting is allow yo the standard because there is anoth source of pur-10 of the failty (HVLP Painting) = 1.0 mg/m> (Annual Ave) = is allowed

demonstate confliance of the pm-10 futint standard

From modeling, the max 1-he impact is 244.1.

T 2000002

EPSCO

Raily:

(244.1 mg/m3)(0.0515/hr)(0.4) (244 glay) = 2.5 mg

X= (24)(2.5) = 12 hr/day

Enrual:

(244.1 m/m3) 0.05 (0.08) (8760 hygr) = 0.5 mg/m3

X = (8760 X 0.5) = 4485 hr/gr (244.1 X 0.05 (0.08) = 4485 hr/gr

Potential To Emit.

(0.05 15/hr) 12 hr/lay) = 0.60 15 pm-10/ley

(0.05/b/hr) (4485 hr/yr) (7/2000/2) = 0.11 Tpm-10/yr.

TAP Analysis: Emission Fotor For shot - AP-42 (27 16/1000 16 (0.1) (0.78) = 0.002 15/16 afa. (500 16/hr) 0.002 15/16 (1-0.98) = 0.02 15/hr.

From MSDS:

1479-81 (0.02 14/hr) (96/100) = 0.019 15/hr <

7439-96-5 (0.02 (1.3/100) = 2.6E-04 15/hr < 0.333 15/hr of

(0.02 \1.2/100) = 2.4E-0416/hr < 0.66714/Ar OK

aunt3 (0.02) = 1.0E-04 14/AV < 0.006714/W OK 14808-60-7

(0.02) (0.25/100) = 5.0E-05 14/hv < 0.033 15/hr. 1440-47-3

Ni (6.02) (0.3/100) = 4.0E-05 > 2.7E-05 MONEL 7440-02-0

== (244.1 M/m3) 4.0E-05 13/4 (0.125) (4485) = 6.2E-04 M/m3 (4.2E-03 M/m)

(AALL) OK

0 4/18/00 0 6:57:05 *** SCREEN3 MODEL RUN *** *** VERSION DATED 96043 *** T2000002 - EPSCO, Abrasive Blast Booth Stack SIMPLE TERRAIN INPUTS: SOURCE TYPE POINT .126000 EMISSION RATE (G/S) *** STACK HEIGHT (M) 1.8288 = STK INSIDE DIAM (M) **** .6096 STK EXIT VELOCITY (M/S) = 12.7501 STK GAS EXIT TEMP (K) = 293.1500 AMBIENT AIR TEMP (K) = 293.1500 RECEPTOR HEIGHT (M) **=** .0000 URBAN/RURAL OPTION RURAL *** BUILDING HEIGHT (M) .0000 = MIN HORIZ BLDG DIM (M) = .0000 MAX HORIZ BLDG DIM (M) = .0000 THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED. THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED. BUOY. FLUX = .000 M**4/S**3; MOM. FLUX = 15.103 M**4/S**2. *** FULL METEOROLOGY *** ******* *** SCREEN AUTOMATED DISTANCES *** ****** *** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING DIST ANCES *** U10M USTK MIX HT PLUME SIGMA SIGM DIST CONC A (UG/M**3) STAB (M/S) (M/S) (M) HT (M) Y (M) Z (M)(M)) DWASH -----

10.

NO

6

39.32 4 20.0 20.0 6400.0 1.94 .98 .6

		81.10	4	5.0	5.0	1600.0	6.49	8.31	4.8
4	NO								
	200.	65.44	5	4.0	4.0	10000.0	7.66	11.74	6.4
6	NO								
	300.	76.91	5	1.0	1.0	10000.0	14.37	17.27	9.4
1	NO								
	400.	80.36	6	1.0	1.0	10000.0	13.25	15.00	7.7
7	NO								
	500.	82.65	6	1.0	1.0	10000.0	13.25	18.26	9.0
1	NO								
	600.	78.83	6	1.0	1.0	10000.0	13.25	21.49	10.2
2	NO								
	700.	72.59	6	1.0	1.0	10000.0	13.25	24.67	11.4
1									
		65.69	6	1.0	1.0	10000.0	13.25	27.83	12.4
1				•					
_		59.32	6	1.0	1.0	10000.0	13.25	30.95	13.3
9				_ • *		_ + • • • •			
-	1000.	53.62	6	1.0	1.0	10000.0	13.25	34.04	14.3
3			-						
_		•							
1	MUMIXAM	1-HR CONCEN	TRATION	AT OR	BEYOND	10. M	:		
	24.	244.1		20.0	20.0			2.28	1.4
2	NO		_		-	-		— - 4	

DWASH= MEANS NO CALC MADE (CONC = 0.0)

DWASH=NO MEANS NO BUILDING DOWNWASH USED

DWASH=HS MEANS HUBER-SNYDER DOWNWASH USED

DWASH=SS MEANS SCHULMAN-SCIRE DOWNWASH USED

DWASH=NA MEANS DOWNWASH NOT APPLICABLE, X<3*LB

CALCULATION PROCEDURE	MAX CONC (UG/M**3)	DIST TO MAX (M)	TERRAIN HT (M)
SIMPLE TERRAIN	244.1	24.	0.

13.2.6 Abrasive Blasting

13.2.6.1 General1-2

Abrasive blasting is the use of abrasive material to clean or texturize a material such as metal or masonry. Sand is the most widely used blasting abrasive. Other abrasive materials include coal slag, smelter slags, mineral abrasives, metallic abrasives, and synthetic abrasives. Industries that use abrasive blasting include the shipbuilding industry, automotive industry, and other industries that involve surface preparation and painting. The majority of shipyards no longer use sand for abrasive blasting because of concerns about silicosis, a condition caused by respiratory exposure to crystalline silica. In 1991, about 4.5 million tons of abrasives, including 2.5 million tons of sand, 1 million tons of coal slag, 500 thousand tons of smelter slag, and 500 thousand tons of other abrasives were used for domestic abrasive blasting operations.

13.2.6.2 Process Description 1-9

Abrasive blasting systems typically include three essential components: an abrasive container (i. e., blasting pot); a propelling device; and a blasting nozzle or nozzles. The exact equipment used depends to a large extent on the specific application and type(s) of abrasive.

Three basic methods can be used to project the abrasive towards the surface being cleaned: air pressure; centrifugal wheels; or water pressure. Air blast (or dry) systems use compressed air to propel the abrasive using either a suction-type or pressure-type process. Centrifugal wheel systems use a rotating impeller to mechanically propel the abrasive by a combination of centrifugal and inertial forces. Finally, the water (or wet) blast method uses either air pressure or water pressure to propel an abrasive slurry towards the cleaned surface.

Abrasive materials used in blasting can generally be classified as sand, slag, metallic shot or grit, synthetic, or other. The cost and properties associated with the abrasive material dictate its application. The following discusses the general classes of commonly used abrasives.

Silica sand is commonly used for abrasive blasting where reclaiming is not feasible, such as in unconfined abrasive blasting operations. Sand has a rather high breakdown rate, which can result in substantial dust generation. Worker exposure to free crystalline silica is of concern when silica sand is used for abrasive blasting.

Coal and smelter slags are commonly used for abrasive blasting at shipyards. Black BeautyTM, which consists of crushed slag from coal-fired utility boilers, is a commonly used slag. Slags have the advantage of low silica content, but have been documented to release other contaminants, including hazardous air pollutants (HAP), into the air.

Metallic abrasives include cast iron shot, cast iron grit, and steel shot. Cast iron shot is hard and brittle and is produced by spraying molten cast iron into a water bath. Cast iron grit is produced by crushing oversized and irregular particles formed during the manufacture of cast iron shot. Steel shot is produced by blowing molten steel. Steel shot is not as hard as cast iron shot, but is much more durable. These materials typically are reclaimed and reused.

Synthetic abrasives, such as silicon carbide and aluminum oxide, are becoming popular substitutes for sand. These abrasives are more durable and create less dust than sand. These materials typically are reclaimed and reused.

Other abrasives include mineral abrasives (such as garnet, olivine, and staurolite), cut plastic, glass beads, crushed glass, and nutshells. As with metallic and synthetic abrasives, these other abrasives are generally used in operations where the material is reclaimed. Mineral abrasives are reported to create significantly less dust than sand and slag abrasives.

The type of abrasive used in a particular application is usually specific to the blasting method. Dry blasting is usually done with sand, metallic grit or shot, aluminum oxide (alumina), or silicon carbide. Wet blasters are operated with either sand, glass beads, or other materials that remain suspended in water.

13.2.6.3 Emissions And Controls 1,3,5-11

Emissions —

Particulate matter (PM) and particulate HAP are the major concerns relative to abrasive blasting. Table 13.2.6-1 presents total PM emission factors for abrasive blasting as a function of wind speed. Higher wind speeds increase emissions by enhanced ventilation of the process and by retardation of coarse particle deposition.

Table 13.2.6-1 also presents fine particulate emission factors for abrasive blasting. Emission factors are presented for PM-10 and PM-2.5, which denote particles equal to or smaller than 10 and 2.5 microns in aerodynamic diameter, respectively. Emissions of PM of these size fractions are not significantly wind-speed dependent. Table 13.2.6-1 also presents an emission factor for controlled emissions from an enclosed abrasive blasting operation controlled by a fabric filter; the blasting media was 30/40 mesh garnet.

Limited data from Reference 3 give a comparison of total PM emissions from abrasive blasting using various media. The study indicates that, on the basis of tons of abrasive used, total PM emissions from abrasive blasting using grit are about 24 percent of total PM emissions from abrasive blasting with sand. The study also indicates that total PM emissions from abrasive blasting using shot are about 10 percent of total PM emissions from abrasive blasting with sand.

Hazardous air pollutants, typically particulate metals, are emitted from some abrasive blasting operations. These emissions are dependent on both the abrasive material and the targeted surface.

Controls -

A number of different methods have been used to control the emissions from abrasive blasting. Theses methods include: blast enclosures; vacuum blasters; drapes; water curtains; wet blasting; and reclaim systems. Wet blasting controls include not only traditional wet blasting processes but also high pressure water blasting, high pressure water and abrasive blasting, and air and water abrasive blasting. For wet blasting, control efficiencies between 50 and 93 percent have been reported. Fabric filters are used to control emissions from enclosed abrasive blasting operations.

Table 13.2.6-1. PARTICULATE EMISSION FACTORS FOR ABRASIVE BLASTING^a

EMISSION FACTOR RATING: E

Source	Particle size	Emission factor, lb/1,000 lb abrasive
Sand blasting of mild steel panels ^b (SCC 3-09-002-02)	Total PM 5 mph wind speed 10 mph wind speed 15 mph wind speed PM-10 ^c PM-2.5 ^c	27 55 91 13 1.3
Abrasive blasting of unspecified metal parts, controlled with a fabric filter ^d (SCC 3-09-002-04)	Total PM	0.69

a One lb/1,000 lb is equal to 1 kg/Mg. Factors represent uncontrolled emissions, unless noted. SCC = Source Classification Code.

References For Section 13.2.6

- C. Cowherd and J. Kinsey, Development Of Particulate And Hazardous Emission Factors For
 Outdoor Abrasive Blasting, EPA Contract No. 68-D2-0159, Midwest Research Institute, Kansas
 City, MO, June 1995.
- 2. Written communication from J. D. Hansink, Barton Mines Corporation, Golden, CO, to Attendees of the American Waterways Shipyard Conference, Pedido Beach, AL, October 28, 1991.
- 3. South Coast Air Quality Management District, Section 2: Unconfined Abrasive Blasting, Draft Document, El Monte, CA, September 8, 1988.
- 4. A. W. Mallory, "Guidelines For Centrifugal Blast Cleaning", J. Protective Coatings And Linings, 1(1), June 1984.
- B. Baldwin, "Methods Of Dust-Free Abrasive Blast Clearing", Plant Engineering, 32(4), February 16, 1978.
- 6. B. R Appleman and J. A. Bruno, Jr., "Evaluation Of Wet Blast Cleaning Units", J. Protective Coatings And Linings, 2(8), August 1985.

b Reference 10.

^c Emissions of PM-10 and PM-2.5 are not significantly wind-speed dependent.

^d Reference 11. Abrasive blasting with garnet blast media.

- M. K. Snyder and D. Bendersky, Removal Of Lead-Based Bridge Paints, NCHRP Report 265, Transportation Research Board, Washington, DC, December 1983.
- 8. J. A. Bruno, "Evaluation Of Wet Abrasive Blasting Equipment", Proceedings Of The 2nd Annual International Bridge Conference, Pittsburgh, PA, June 17-19, 1985.
- J. S. Kinsey, Assessment Of Outdoor Abrasive Blasting, Interim Report, EPA Contract No. 68-02 4395, Work Assignment No. 29, U. S. Environmental Protection Agency, Research Triangle Park, NC, September 11, 1989.
- J. S. Kinsey, S. Schliesser, P. Murowchick, and C. Cowherd, Development Of Particulate Emission Factors For Uncontrolled Abrasive Blasting Operations, EPA Contract No. 68-D2-0159, Midwest Research Institute, Kansas City, MO, February 1995.
- 11. Summary Of Source Test Results, Poly Engineering, Richmond, CA, Bay Area Air Quality Management District, San Francisco, CA, November 19, 1990.
- 12. Emission Factor Documentation For AP-42 Section 13.2.6, Abrasive Blasting, Final Report, Midwest Research Institute, Cary, NC, September 1997.

RDM MULTI-ENTERPRISES, INC.

(400) 563-3433

106 M. Sibar St Anaconda, MT 5071: FAX (408) 563-3435

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

DENTITY (As Used on Label and Liet Arbiter - Ferro Blast/Best Grit				led. If any item is not space must be marke	
Section I					
RDM Multi-Enterprises, Inc.		Emergency lois	(406) 494-5	648	
Address (Aliveber, Street, City, State, 219 Code) 105 N. Silver Street			1-800-856	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5) 563-3433
Anaconda, MT 59711		Date Prepared Signature of Pre	FEB 6 1	998	······································
Section II - Hazardous ingredients/Identity	Information				
Hazardous Components (Specific Chemical Identity, Co.	renea Namats'i	OSHA PEL	· ACGIHTL	Other Limits Recommended	% (options)
Cas No. 67711-92-6					
This product is a copper smelter slag w	ith a mbdure	of the following	g elements (FE	o, so, alo,	CaO, HgO)
These are tightly bound in the glassy s	ag matrix, or	OSHA PEL of	10 mg/m³ ark	i a ACGIH TLV	of 5 mg/m³
for dust is applicable. Other elements					
the glassy slag matrix but in concentral	tions of less t	nan 0.1%.			
Section III - Physical/Chamical Characteris	<u> </u>	Specific Gravity (H0-1)		
	N/A				3.26
Vagor Pressurs (mm Hg.)	N/A	Mailing Point			2000°F
Vapor Density (ART = 1)	N/A	Evaporation Rate (But) Acetate =			N/AP
Solubility in Water None					<u> </u>
Appearance and Odor Black-Colored, amorphore	us; glass-like	solids; odorless	}		
Section IV Fire and Explosion Hazard Da	ta	. ,	<u></u>		
Flesh Point (Method Used) N/A		Plansmable Limits	N/AP	LEL	UEL
Extinguishing Media			N/AE	<u> </u>	
This material is noncon	vousticle				_ <u></u>
Firefighters will		tory protection	under dusty	condtions	

Section V - R	leactivity Data					
Stability	Unstable		Conditions to Avoid	UK	7	
	Stable	X		· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
incompatibility (Entertals to Avoid)	·	Acids	<u> </u>		
Hazardous Deco	raposition or Bypradu			······································	·	
HEZANTOUS	May Coou	T -	Conditions to Avoid	UK	······································	
Polymerization	Will Not Occur	X				
Sortion VI-	Health Hazard D	<u></u>				
Route(s) of Entry	inhal	ation?	* > _ #*	Sign?		Ingustion?
Healt Hazards	(dayer and Charmin)	PS.	Not Expe			
		Keep	nuisance quat levels	DEIOW (LV IOI	nuisance dust (amg/m³)
		~	** ***********************************	, , , , , , , , , , , , , , , , , , ,		
Cercinopericity:	NTP	?	***************************************	IARC NO	nooraphs	e? OSHA Segulated?
	No_	***************************************		N	D	
Signs and Syste	na of Exposure No.	no . ŕl	we dust is inert and n	on literae	anic	
·. · · · · · · · · · · · · · · · · · ·	, 42.		AP COURT OF RECEIPT IN	AUTON VE		
Audios Conditio	P6		halana da			
ing the American	ASSES DV EXCOURS		łuisance dust	····		
Emercency and	First Ald Procedures					
			•			o flush out dust particles.
			ikin contact - Wesh al	fected a	ea wit	h soap and water.
			Handling and Use		· · · · · · · · · · · · · · · · · · ·	
Stepe to ISE 1969	o in Case Malerial is	Florings	ed or Spilled Sweet	or vacu	um ma	aterial for disposal. Provide clean up crews
with prop	er protective equ	pore	nt under dusty condi	tions.		
Vilose Disposei	Method Perform T	CLP	Pest and dispose of it	accord:	unce wi	ith federal, state and local regulations
recasitions to B	a gnikmal ini natali a	nd Sto	Good houseke	eping sl	iould b	e practiced during storage, transfer,
ha	ralling and use o	f this	material to avoid ex	essive d	ust	
						hing of dust. Use good personal hygiene
						Trinking, smoking, or use of toilet facilities.
	Control Measur					
leapinatory Prote	ection (Specify Type)	N72/	C1 /2 C1 4		مند د	***************************************
Ventilation	Local Exhaust		OSH/MSHA approve		Spucie	
	Mechanical (General)	Use	n conducting blasting to meet TLV require	ments	Other	None
Protective Groves		<u> 15 G</u>	uet is generated.		otection	None Use salety glasses with side shields or
	Yes - to pres	•	uts and abrasions			Chemical type gornes
	Clothing or Equipmen	<u>'</u>	Se hearing protectors	wherev	rer abra	asive blasting generates excessive noise.
Modulity premis Pr	Same as n	wisar	nce dust precautions.			

MATERIAL SAFETY DATA SHEET

I - PRODUCT IDENTIFICATION:

1-PRODUCT IDE	in cipica i ion:	•		
Manufacturer's N Ervin Indu Amasteel I	stries, Inc.	Address: 3893 Research Park Dr Ann Arbor, Mi 48108-2		(734) 769-4600 (734) 663-0136
D-U-N-S NO.: 00	-533-7738, 00-(504-3708, 07-499-7677		
PRODUCT NAME			Common Name: Chemical Family:	Cast Steel Ferrous
II - HAZARDOUS	COMPONENT	s:		
CAS REGISTRY NO. 1439-99-L	% WEIGHT	CHEMICAL NAME	ACGIH TLV (mg/m³)	OSHA PEL (mg/m³)
2430-8000 1362-775	>96	Iron Oxide furne, as Fe	5	10
7440-44-0	0.8-1.3	Carbon	none estab.	none estab.
7439-96-5	0.5-1.3	Manganese Elemental and inorganic compounds, as Mn Furne - as Mn	0.2 none estab.	5 (celting) 5 (celting)
7440-21-3	0.3-1.2	Siticon as total dust Respirable fraction	10 none estab.	15 5
7440-47-3	<0.25	Chromium Elemental metal and Inorganic compounds as Cr metal	0.5	1
•		Cr II compounds - as Cr	none estab.	0.5
		Cr III compounds - as Cr Cr Vi compounds -	0.5	0.5
		water Soluble Cr VI compounds -	0.05	none estab.
		insoluble Chromic Acid and	0.01	none estab.
	·	Chromates as CrO ₃ Chromium salts -	none estab.	0.1 (celling)
		insolubie - as Cr	none estab.	1
7440-02-0	<0.2	Nickei elemental metal, insoluble	•	
		compounds as Ni	0.05	1
		a da	0.05	, 1
			च - क जा	,

Page 1 of 3

Revision Date 2/16/98

Revision K

III - PHYSICAL DATA:

Cast steel shot and grit are non-hazardous as received. Fine metallic dust is generated as the abrasive breaks down from impact and wear during normal use. Since the ferrous content is >96%, dust or furnes will consist mainly of iron or iron oxide. In addition, the fine steel dust created can be a mild explosion hazard (see IV).

Boiling Point - 2850-3150 Degrees C Specific Gravity(at 60 degrees F)->7.6 % Volatile by volume-Not Applicable Evaporation Rate-Not Applicable Solubility in Water-Not Applicable Melting Point-1371-1483 Degree C Vapor Pressure-Not Applicable pH - Not Applicable Vapor Density-Not Applicable Percent Solid by Weight-100%

Appearance and Odor - Near spherical or angular steel particles with no odor

IV - FIRE AND EXPLOSION HAZARD DATA:

Flash Point - Not Applicable

Flammability Limits-Not Applicable


Autoignition Temperature (solid iron exposed to cxygen) -930 Degrees C

Cast steel shot and grit will not burn or explode

A mild fire or explosion hazard situation may be created due to the <u>fine dust that may result from use</u>. Fire Extinguishing method for dust created due to use - use Class D extinguishing agents or dry sand to exclude air. Do not use water or other liquids, or foam.

NFPA49

NFPA Hazard Rating



4 = Extreme Health (blue) 0
3 = High Fiammability (red) 0
2 = Moderate Reactivity (yellow) 0
1 = Slight Special (coloriess)

0 = Insignificant

V - HEALTH HAZARD DATA:

Threshold Limit Values - Permissible Exposure Limits - see Section II

Carcinogenicity - OSHA, not listed. IARC, chromium [VI] - carcinogenic to humans (Group 1), metallic chromium and chromium [III] compounds - not classifiable as to their carcinogenicity to humans (Group 3); nickel compounds are carcinogenic to humans, metallic nickel is possibly carcinogenic to humans (Group 28).

Furnes can be generated by welding or flame cutting a surface containing new or used abrasive or the dust created by use of the abrasive. Welding or flame cutting may convert a small portion of the chromium to hexavalent chromium [VI]. IARC reports that welding furnes are possibly carcinogenic to humans. Over exposure to dust and furnes may cause mouth, eye, and nose irritation. Prolonged overexposure to manganese dust or furne affects the central nervous system. Chronic overexposure can cause manganese poisoning, and attendant apathy, loss of appetite, uncontrolled laughter, insomnia followed by sleepiness, headache, difficulty in walking, frequent falling, tromots, salivation sweating and mental detachment. Prolonged overexposure to iron oxide furne can cause siderosis, or "iron pigmentation" of the lung. It can be seen on a chest x-ray but causes little or no disability.

Page 2 of 3

Revision Date 2/16/98

Revision K

V . HEALTH HAZARD DATA: (continued)

Target Organs - Lung for chromium and lung and nasal for Nicket.

Primary Routes of entry - inhalation of dust formed during use, or shot, grit or dust particles in eyes.

Emergency and First Aid Procedure - If inhaled, move out of area into fresh sir. Flush eyes with running water, have any remaining particles removed from eyes by qualified medical person.

VI - REACTIVITY DATA:

Stability - stable Hazardous Polymerization - will not occur
Hazardous decomposition products - None. Shot and grit will break down into progressively smaller particles and dust during normal use.

VII - SPILL OR LEAK PROCEDURES:

Shot spilled or leaked onto floors can create hazardous walking conditions. No special precautions need to be followed when cleaning up spills or leaks of shot or grit. When cleaning up large quantities of dust, a NIOSH approved respirator should be used. Spilled shot and grit can be reclaimed for reuse, or disposed of as a non-hazardous solid waste. Collected dust from blast cleaning or shot peening operations always contains contaminants from the surfaces of the parts being processed, and therefore the dust may be classed as a hazardous waste and, as such, must be disposed of according to appropriate local, State or Federal regulations.

VIII - SPECIAL PROTECTION INFORMATION:

Ventilation - General ventilation and local exhaust should be provided to keep the dust levels below the TLV's shown in Section II.

Respiratory protection - If the dust created by use exceeds the ACGIH TLV's and OSHA PEL's indicated in Section II, a NIOSH approved respirator should be worn.

Eye protection - Approved safety glasses with eye shields should be worn. Other protective equipment - none required.


IX - SPECIAL PRECAUTIONS:

Precautions to be taken in handling and storing - Keep dry to reduce rusting. Observe maximum floor loading limitations.

Other precautions - The company has no control over this product or its use after it leaves our facility. The company assumes no liability for loss or damage incurred from the proper or improper use of this product.

The information presented here has been compiled from sources considered to be reliable and accurate to the best of our knowledge and belief, but is not guaranteed to be so.

Prepared by: David A. Hale Manager, Technical Services



ABRASIVE MSDS's

Making Our Environment Cleaner

MATERIAL SAFETY DATA SHEET

Complies with 29 CFR 1910.1200

SECTION I Manufacturer's Name	······································	Ememercy	Telephone N		
EMERALD CREEK GARNET	COMPANY	(208) 24			
Address (Street, City, State, Zip Code)		Telephone i	Yumber Infon	mation	
P.O. Box 190		(208) 245	-2096		
Fernwood, ID 83830			ıry 15, 19	94	
			ion# 1/15/9		
SECTION II. Hazardous incredients / Iden	etty information			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Hezerdous Components:		other Limits			
Specific Chemical Identity. OSHA	PEL ACGIHTLY	Recommended	%(Optional)	<u> </u>	
in partial substitution for Fe in the present and are regulated by OSH	A or ACGIH limits	•	CAS # 130	2-62-1	s are
SUBSTANCE		SHA/ACGIH			
Nuisance dust	ħ a	1	5 mg/cu.n		
Respirable dust	∏8 -0.50₩	٥.	5 mg/cu.n		•
Crystalline silica * If these levels are exceeded resp	<0.50%		0 mg/cu.n	n.	
is nissen thank as a section for the	station à la dissipation attacher	e mithmater.			
SECTION III - Physical and Chemical Cha	racteriatica				
Meiling Point Circa 1315° C	Specifi	c Gravity (H ₂ * 1 4.0 - 4.1	0)		
Solubility in Water					·····
Insoluble Appearance and Odor			· · · · · · · · · · · · · · · · · · ·		
Deep red to pink color: no	odor				
SECTION IV . FIRE AND EXPLOSION HA	ZARD DATA				
Flash point (Method Used)	Flam	reble Limits	LEL	UEL	
Material is a non-flammable solid	no	applicable	na	na	
Extinguishing media				1140	
Use extinguishing media appropria Special Fire Fighting Procedures	le for the surround	ling fire.	······································		
As appropriate to the surrounding f	ire. Firefighters sh	ould be prote	cted from	nuisance du	ıst.

SECTION V -					
Stability	Unstable	1)	Condition		
					t, stable solid needing
NERT	Stable	[x]	no spe	cial handling in nor	mai use.
ncompatibility (A	Autorials to Avo		NE KNOWN		
iazardous Deci	omposition or B	yProducts			
		NO	NE KNOWN		
Hazardous	May occu	# []	# #1#	s to Avoid	
Polymerization	Will not oc	cer (x)	N	ONE KNOW	
SECTION VI .	HEALTH HAZ	ARC DATA			
Routes(s) of En	lry		eletion?	Skin?	Ingestion?
-			SSIBLE	NONE	NONE
iesith Hezarda	(Acute and Chi	ronic)			
		o limit poss	ible exposure	to nuisence dust d	iurino blast cleaning.
Carcinogenicity:			1 27	IARC Monographs?	OSHA Regulations
	e silica (qua			No. 42	0.1 mg/m ³
	s less than			na	***************************************
Signs and Symp			-		
			may cause e	ye, throat, or lung it	rritation, coughing,
	ortness of t		-		
Aedical Conditio	ons Generally A	agravated by 6			
Chr	onic bronch!	tis, emphys	ema and oth	er lung diseases ma	ay be aggravated by
	osure to nui		·		
mergency and	First Aid Proce	dures			
				to flush out dust pa	
SKI	I CONTACT	I: Wash aff	fected area w	ith soap and water.	
ECTION VI.	RECAUTION	S POR SAPE	HANDLING AND	USE	4
Staps to be take					
				•	or vacuum material for
dispo	sal Preve	nt generatio	an of dust dui	ing clean-up.	
Waste Disposal					
Folk	w local, sta	te, and fed	erai ouideline	es for disposal of inc	ert solid waste.
MA	ERIAL CO	NTAMINAT	red in use	MAY REQUIRE 8P	ECIAL HANDLING
recautions to b					
					ise approved hand, eye,
			vhen handling		
Xher Preceution	.				
Use	material ON	ILY for the	purposes inte	ended, and incorpor	ate methods of dust control
to m	eintain airbo	ome dust w	thin federal	or local TLV limits.	
ECTION VIII .					
				-	
lespiratory Frot				canting by a sin do- 4.	I
entitation	Local Extra		DIS 410 817 5	upplied hoods for b	(SICIS.
THE OLD PROPERTY OF 3		en blast cie:	anino	Special NONE	
YES			<u> </u>		
164	Mechanica			Other	
	Meet du	BKILV		NONE	
rotective Glover				Eye Protection	
Leggi	er or equiv	eishi - in us	20	Safety glasses	with side shields
ther Protective					
/ork/Hygienic P	ILU OTO(BCIC	ni musu mo	KUND DON'N	est cleaning operati	<u>1270, </u>
	4 C1591	WING SAIR W	WIX SUAIDUU	nent & monitor work	Dractices.

...

APPENDIX B

Emission Estimates - HVLP Spray Painting

EPSCO Corporation T2-000002 April 2000

HVLP Only Modeling: SCREEN3 TOUX 1-hr = 246.4 mg/m3/16.hr.

From speaksheet Pagez, mx Rate = 0.11 15/hr.

PM-10 Standards: 2.5 mg/m³, 24-hr 0.5 mg/m³, annual.

Max daily operating hours:

(246.4 my/m) (0.1115/hr) 0.4) =

x = (24)(2.5) = 4.0 hr/lmg. (246.4)(0.11)(0.4)

dunual:

(246.4 mg/m3) (0.1116/hr) (0.08) (8760 hgRey) = 0.5 mg/m3

 $X = \frac{(8760 \times 0.5)}{(2464)(0.11 \times 0.08)} = 2020 \text{ Myr}.$

Potestial to Emit (Hermit Limits): pm-10 only-(0.11 16/hr X 6 my Ray X (Lay 24hr) = 0.03 14/day (0.11 15/hr /2020 hr/yr / 1/200015) = 0.11 Tyr.

4/18/00 0 6:55:51 *** SCREEN3 MODEL RUN *** *** VERSION DATED 96043 *** T2000002 - EPSCO, Paint Booth Stack SIMPLE TERRAIN INPUTS: SOURCE TYPE POINT EMISSION RATE (G/S) .126000 STACK HEIGHT (M) 1.8288 == STK INSIDE DIAM (M) *** .4572 STK EXIT VELOCITY (M/S) = 12.8931 STK GAS EXIT TEMP (K) = 293.1500 AMBIENT AIR TEMP (K) 293.1500 _ RECEPTOR HEIGHT (M) .0000 = URBAN/RURAL OPTION RURAL = BUILDING HEIGHT (M) .0000 MIN HORIZ BLDG DIM (M) = .0000 MAX HORIZ BLDG DIM (M) = .0000 THE REGULATORY (DEFAULT) MIXING HEIGHT OPTION WAS SELECTED. THE REGULATORY (DEFAULT) ANEMOMETER HEIGHT OF 10.0 METERS WAS ENTERED. BUOY. FLUX = .000 M**4/S**3; MOM. FLUX = 8.687 M**4/S**2. *** FULL METEOROLOGY *** *** SCREEN AUTOMATED DISTANCES *** ***** *** TERRAIN HEIGHT OF 0. M ABOVE STACK BASE USED FOR FOLLOWING DIST ANCES *** CONC U10M USTK MIX HT DIST PLUME SIGMA SIGM A (UG/M**3) STAB (M/S) (M/S) (M)(M) HT (M) Y (M) Z (M) DWASH _____ _____

4 20.0 20.0 6400.0 1.93 .97

10. 37.71

5

NO

	100.	121.2	5	5.0	5.0	10000.0	5.37	6.21	3.6
8	NO								
	200.	103.1	6	4.0	4.0	10000.0	6.25	7.83	4.2
8	NO								
	300.	107.3	6	1.0	1.0	10000.0	11.33	11.56	6.2
5	NO			_					
	400.	115.9	6	1.0	1.0	10000.0	11.33	14.89	7.5
5	NO			_					
	500.	109.7	6	1.0	1.0	10000.0	11.33	18.17	8.8
2	NO								
	600.	98.80	6	1.0	1.0	10000.0	11.33	21.41	10.0
6	NO								
	700.	87.28	6	1.0	1.0	10000.0	11.33	24.61	11.2
6	NO		_						
	800.	76.87	6	1.0	1.0	10000.0	11.33	27.77	12.2
8	NO								
	900.	67.97	6	1.0	1.0	10000.0	11.33	30.90	13,2
6	NO								
	1000.	60.43	6	1.0	1.0	10000.0	11.33	33.99	14.2
1	NO								
	4 N 3 L TO 6 T 7 M	1 170 CONTORN	####\ N ### /\ \\#	7.00 OD	D ESTAND	10 34			
Į,		1-HR CONCEN				10. M	_		
_	24.	246.4	4	20.0	20.0	6400.0	1.93	2.27	1.4
1	NO								

DWASH= MEANS NO CALC MADE (CONC = 0.0)
DWASH=NO MEANS NO BUILDING DOWNWASH USED
DWASH=HS MEANS HUBER-SNYDER DOWNWASH USED
DWASH=SS MEANS SCHULMAN-SCIRE DOWNWASH USED
DWASH=NA MEANS DOWNWASH NOT APPLICABLE, X<3*LB

**** SUMMARY OF SCREEN MODEL RESULTS ***

CALCULATION	MAX CONC	DIST TO	TERRAIN
PROCEDURE	(UG/M**3)	MAX (M)	HT (M)
SIMPLE TERRAIN	246.4	24.	0.

HONG:	NFORMATION FO	DOAINT	SOANIATI	e Hern	1		· · · · · · · · · · · · · · · · · · ·		1			1	<u> </u>	***************************************	
	NFURMATION FU	REAINI	TRUDUC I	o noen	<u> </u>				<u> </u>						
AGE 1	1		TILE-CLAD			<u> </u>	·	 	<u></u>	<u> </u>			{		~~····
	<u> </u>	HI TEMP STOVE BLK	HS Epoxy			·			<u> </u>	 		 	·		
		51H200	B6ZWZ101	B62WZ102	B62WZ103	B627Z104	B428211	962RZ38	B62W2100	Devryty	840DVZ70	TAP-A	·		
		Flat Black	White	Midtone Base	Deeptone Base	Ultradeep Base	Black	Safety Red			Herdener	TOTAL			
AS No.	TAP ID		% by wi				% by wi				% by wi	Ibigel			
C7-21-1		% by wt 0.00		% by wt 2.00	% by wt 2.00	% by wt 2.00		% by wt 9.00							
00-41-4	ethylene glycol ethylbercere	8.00							<u> </u>	<u> </u>					
330-20-7		12.00											ļ	***************************************	
	introdityiinenzene	0.00											•		
11-76-2	2-butoryethenol	0.00											<u> </u>		
06-86-3	toluene	53.00													
1-36-3	n-butyl alcohol	8.00													
	aron cycle	1.00													
	VOC CONTENT (Ibigal)	8.27													
	DENSITY (Ib/gal)	5.07													
			72.00	1	10,000	1	1	17-112	17:17	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	T	1		
7100071100		EPOXY	1	1	1	1		1	1	1	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			***************************************
		COATINGS	1	1	1		1		1	1		1	1		
		B42W401	B&27404	B40V70	B625100	8407100	B42A213	B42H200	B-621,200	B62W291	B60V20	8421.7	B42W7	B49V7	TAP-8
;		White	Midtone Base	Harderser	Part A	Part B	State Gray	Belge	Bitue	Pure White	Part B Hardoner		4	Part O Harderee	
AS No.	TAP IO	Kby wt	%by wt	Nby wt.	%by wL	%by wL	%by wt.	%by wt.	%by wt.	Nby wt	%by wt.	Mby wt.	Way wil	%by wt.	Myga!
00-41-4	etrytenzene	3,00												2.00	(
30-20-7		17.00			7.90	9.00								13.00	
5551-13-7	rimetryibenzene	0.00	9.90	13.00	9.90	0.00	0.00	0,00	0,00	9.90	0.00	0.00	0.00	0.60	
11-78-2	2-butoxyethenoi	5,00												0.00	
4808-80-7	quartx.	0.00	20,00	00,00	33.00	56.00	0.00	30.00	28.00	0.00	0.00	35.00	35.00	11,00	21
2001-26-2	reica	0.00	0,00	00,00	0,00	0.90	16,00	0.00	0.90	6.00	0.00	9,00	9.90	0.00	
	VOC CONTENT (Ibigal)	3.30	3.30	3.99	1,45	1.39	2.96	2.87	2.87	3.00	1.87	2.99	2.99	1.86	
	DENSITY (Ibigal)	13,18				13.36			13.22	12.52	7.95	14.09	14.00	12,39	
	WEIGHT % SOLIDS	75.00	70,00	52.90	88.30	89.80	75.90	77.90	78,30	76.20	76.40	75,80	78.60	85,00	
]								
		KE# 400				1		1	· ·						
						.1	1	1	<u> </u>	<u></u>				<u> </u>	1
	<u> </u>	ENAMEL.							<u> </u>						
		F75KX	F78W403	F75V404	F75B401	E61A400	E81R402	F7554 9 1	V66V1020	V70V411	TAP-C				
		F75KX Custom	White Base	Clear Base	Gloss Black	Gray Primer	Rd. Oxide Prim	Silver Metallic	Catalyst	Acrylic Modifier	TOTAL				
	TAPID	F75KX Custom %by wt.	White Sase Kby wt.	Clear Base %by wt.	Gloss Black Xby wt.	Grey Primer Nby wt.	Rd. Oxide Prov Wby wt.	Silver Metallic %by wt	Catalyst Yeby wt.	Acrylic Modifier Mby wt.	TOTAL Brigal				
XX-41-4	effryibenzane	F7SKX Custom %by wt. 7.00	White Base Kity wt. 6.00	Clear Base %by wt. 7.00	Gloss Black %by wt. 6.00	Gray Primer Suby wt. 8.00	Rd. Oxide Print Sby wt. 0.00	Silver Metallic Silvy wt. 7.00	Catalyst Mby wt. 0.00	Acrytic Modifier Niby wt. 5.00	TOTAL Ib/gal 2.57				
30-41-4 330-20-7	ethysbenzane xylene	F75KX Costoen %by wt. 7.00 42.00	White Sase %by wt. 6.00 36.00	Clear Base %by wt. 7.00	Gloss Black %by wt. 6.00	Gray Primer **Lby wt. \$.00 21.00	Rd. Oxide Print Siby wt. 6.00 21.00	Silver Metallic %by wt. 7.00 42.00	Catalyst Nby wt 0.00	Acrylic Modifier Mby wt. 5.00	TOTAL Byggs 2.57 12.54				
30-41-4 330-20-7 5551-13-7	effyferszene zylene trimetryfaetszene	F7SKX Custoen %by wt. 7,00 42,00	White Sase %by wt. 6.00 36.00 0.00	Clear Base %by wt. 7.00 39.00	Gloss Black %by wt. 6.00 36.00	Gray Primer **Lby wt. 5.00 21.00 0.00	Rd. Oxide Prov Stby wt. 6.00 21.00 3.00	Silver Metallic %by wt. 7.00 42.00 3.00	Catalyst % by wt. 0.00 0.00 7.00	Acrylic Modifier Nby wt. 5.00 30.00	TOTAL B/gal 2.57 12.54 0.77				
30-41-4 330-20-7 5551-13-7 23-86-4	ettythenzane sylene trimettythenzane n-butyl acetala	F75KX Costoen %by wt. 7,00 42,00 1,00	White Base Sby wt. 6.00 36.00 0.00	Clear Sase %by wt. 7.00 39.00 1.00 0.00	Gloss Black %by wt. 6.00 36.00 0.00	Gray Primer Suby wt. 8.00 21.00 0.00	Rd. Criste Print Suby wt. 6.90 21.90 3.90 0.00	\$\text{Silver Metallic} %by wt.	Catalyst %by wt. 0.00 0.00 7.00 27.00	Acrysic stockfor Nby wt. 5.00 30.00 0 0.00 3 0.00	TOTAL Bulgasi 2.57 12.54 0.72				
30-41-4 330-20-7 5551-13-7 23-86-4 38-65-6	ethytherizane xylene trimethytherizane n-buly/ acetale 1-mathoxy-2-proenel acetale	F7SKX Custom %by et. 7,00 42,00 1,00 6,00 5,00	White Base Sby wt. 6.00 36.00 0.00 0.00 0.00	Clear Sase %by wt. 7.00 39.00 1.00 0.00 0.00	Gloss Black Stby wt. 6,00 26,00 0,00 0,00	Gray Primer Valy wt. 8.00 21.00 0.00 0.00 0.00	Ref. Oxide Print Suby wt. 8.00 21.00 3.00 0.00 0.00	Shver Metallic Sby wt. 7.00 42.00 3.00 0.00 0.00	Catalyst 9.00 9.00 7.00 27.00 19.00	Acrylic StockFler Suby wt. 5.00 30.00 0.00	TOTAL Brigat 2.57 12.54 0.72 1.25 1.12				
30-41-4 330-20-7 5551-13-7 23-86-4 38-85-6 22-06-0	ethybenzene xylene brinnethybenzene n-butyl acetale 1-methoxy-2-proenol acetale hexamethylene disocyanate	F7SKX Custom %by wt. 7,00 42,90 1,00 6,90 5,90 8,90	White Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00	Clear Same %by wt. 7,00 39,00 0 1,00 0 0,00 1 0,00	Gloss Blank %by wt. 6.00 36.00 0.00 0.00 0.00 0.00	Gray Primer Vuby wt. 8.00 21.00 0.00 0.00 0.00 0.00 0.00 0.00	Rd. Oxide Prmr Sby wt. 6.00 21.00 3.00 5 0.00 0.00 0.00 0.00 0.00 0.00	Silver Metallic Suby wt. 7,00 42,00 9,00 9,00 9,00	Catalyst Suby wt. 0.00 7.00 27.00 19.00 0.00	Acrysic stockfier %by wt. 5.00 50.00 0.00 0.00 0.00 0.00	TOTAL Brigat 2.57 12.54 0.72 1.12 0.00				
20-41-4 330-20-7 5551-13-7 23-86-4 08-85-6 22-06-0	ethythenzene xylene trimethythenzene n-buyl scetale n-methoxy-2-proenol scetale hexametrylene disocyanate isopherone disocyanate	F7SKX Castom %by wt. 7.00 42.00 1.00 5.00 5.00 9.00	White Base % by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0	Clear Base %by wt. 7,00 36,00 1,00 0,00 0,00 0,00	Giose Black % by wt. 6.00 36.00 9.00 0.00 0.00 0.00 0.00 0.00 0.00	Gray Primer *Liby set. 8.00 21.00 8.00 9.00 0.00 0.00 0.00 0.00 0.00	Rd. Oxide Preer Sitry wt. 1 6.06 21.07 3.00 0 0.00 0 0.00 0 0.00 0 0.00	Silver Meshilic Suby wt. 7,00 42,00 0,00 0,00 0,00 0,00	Catalyst Suby wt. 0.00 9.00 7.00 27.00 19.00 0.03	Acrysic stockiner Nby wt. 5.00 30.00 9.00 9.00 9.00 9.00 9.00 9.00	TOTAL Brigat 2.57 12.54 0.72 1.12 0.00 0.00				
A3 No. 30-41-4 330-20-7 5551-13-7 23-88-4 08-85-6 22-06-0 386-71-9	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-proenol acetate hexamethylene discoyanate lacopharone disocyanate WOC CONTENT (thogal)	F7SKX Castom %by wt. 7.00 42.00 1.00 6.00 5.00 9.00 9.00	White Base Sby wt. 5.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77	Clear Base %by wt. 7.00 9.36.50 1.00 1.00 0.00 0.00 0.00 0.00 4.85	Glose Black 95by wt. 6,00 95,00 0,00 0,00 0,00 0,00 0,00 4,4,40	Gray Primar Suby set. 8.00 9.100 9.00 9.000 9.000 9.000 9.000 9.000 9.000	Rd. Oxide Print Skley wt. 6.00 2 1.00 2 0.00 0 0.00 0 0.00 1 0.00 1 0.00 1 0.00 1 0.00	Silver Metallic 5thy wt. 7.00 42.00 9.00 9.00 9.00 9.00 9.00 4.44	Catalyst Noby wt. 0.00 0.00 7.00 19.00 19.00 0.01 4.02	Acrytic Modifier 94by wt. 5.00 1 30.00 0 0.00 0 0.00 1 0.0	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
30-41-4 330-20-7 5551-13-7 23-86-4 38-85-6 22-06-0	ethythenzene xylene trimethythenzene n-buyl scetale n-methoxy-2-proenol scetale hexametrylene disocyanate isopherone disocyanate	F7SKX Castom %by wt. 7.00 42.00 1.00 5.00 5.00 9.00	White Base Sby wt. 5.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77	Clear Base %by wt. 7.00 9.36.50 1.00 1.00 0.00 0.00 0.00 4.85	Glose Black 95by wt. 6,00 95,00 0,00 0,00 0,00 0,00 0,00 4,4,40	Gray Primar Suby set. 8.00 9.100 9.00 9.000 9.000 9.000 9.000 9.000 9.000	Rd. Oxide Print Skley wt. 6.00 2 1.00 2 0.00 0 0.00 0 0.00 1 0.00 1 0.00 1 0.00 1 0.00	Silver Metallic 5thy wt. 7.00 42.00 9.00 9.00 9.00 9.00 9.00 4.44	Catalyst Noby wt. 0.00 0.00 7.00 19.00 19.00 0.01 4.02	Acrytic Modifier 94by wt. 5.00 1 30.00 0 0.00 0 0.00 1 0.0	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
30-41-4 330-20-7 5551-13-7 23-86-4 38-85-6 22-06-0	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-proenol acetate hexamethylene discoyanate lacopharone disocyanate WOC CONTENT (thogal)	F75KC Custom %by wt. 7,00 42,00 1,00 6,00 9,00 9,00 4,80 9,20	White Base Sby wt. 5.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77	Clear Base %by wt. 7.00 9.36.50 1.00 1.00 0.00 0.00 0.00 4.85	Glose Black 95by wt. 6,00 95,00 0,00 0,00 0,00 0,00 0,00 4,4,40	Gray Primar Suby set. 8.00 9.100 9.00 9.000 9.000 9.000 9.000 9.000 9.000	Rd. Oxide Print Skley wt. 6.00 2 1.00 2 0.00 0 0.00 0 0.00 1 0.00 1 0.00 1 0.00 1 0.00	Silver Metallic 5thy wt. 7.00 42.00 9.00 9.00 9.00 9.00 9.00 4.44	Catalyst Noby wt. 0.00 0.00 7.00 19.00 19.00 0.01 4.02	Acrytic Modifier 94by wt. 5.00 1 30.00 0 0.00 0 0.00 1 0.0	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
10-41-4 130-20-7 1551-13-7 13-86-4 18-85-6 12-06-0	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-proenol acetate hexamethylene discoyanate lacopharone disocyanate WOC CONTENT (thogal)	F7StCx Custom %by wt. 7,00 42,00 1,00 6,00 5,00 0,00 4,90 9,20	White Base Sby wt. 5.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77	Clear Base %by wt. 7.00 9.36.50 1.00 1.00 0.00 0.00 0.00 4.85	Glose Black 95by wt. 6,00 95,00 0,00 0,00 0,00 0,00 0,00 4,4,40	Gray Primar Suby set. 8.00 9.100 9.00 9.000 9.000 9.000 9.000 9.000 9.000	Rd. Oxide Print Stby wt. 2 21.50 2 23.50 5 0.00 5 0.00 5 0.00 6 5.00 6 9.00	Silver Metallic Siby wt. 7.00 42.00 9.00 9.00 9.00 9.00 9.00 9.00 4.94 7.33	Catalyst Noby wt. 0.00 0.00 7.00 19.00 19.00 0.01 4.02	Acrytic Modifier 94by wt. 5.00 1 30.00 0 0.00 0 0.00 1 0.0	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
20-41-4 330-20-7 5551-13-7 23-86-4 08-85-6 22-06-0	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-proenol acetate hexamethylene discoyanate lacopharone disocyanate WOC CONTENT (thogal)	F7SKC Custom %by wt. 7,00 42,00 1,00 6,00 5,00 0,00 4,80 9,20 TILE-CLAD II	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0.	Ctear Base %by wt. 3 0.00 3 0.00 1 0.00 1 0.00 1 0.00 1 7.74	Glose Black Suby wt.	Gray Primer Suby wt. 1 21.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Rd. Oxide Press Stby wt. 21.00 21.00 3.00 0.00 0.00 0.00 0.00 0.00 0.00	Silver Nessilic Suby wt. 7.00 42.00 3.00 0.00 0.00 0.00 4.94 7.82 CHEM-THANE	Catalyst 9,00 or. 0.00 0.00 7.00 27.00 19.00 0.00 0.00 0.00 0.00 0.00 0.00	Acrysis Modifier Suby wt. 3	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
30-41-4 330-20-7 5551-13-7 23-86-4 38-85-6 22-06-0	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-proenol acetate hexamethylene discoyanate lacopharone disocyanate WOC CONTENT (thogal)	F7SICC Custom %by wt. 7,00 42,00 1,00 0,00 5,00 0,00 4,80 9,20 TILE-GLAD II ENAMEL BRZM101	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0.	Ctear Base %by wt. 3 7.00 3 9.00 1 1.00 0 .00 1 0.00 1 0.00 1 7.74 Bezw103	Glose Black Suby wt. 6.00 96.00 0.00 0.00 0.00 0.00 0.00 0.	Gray Primer Suby wt. 21.00 0	P.d. Oxide Press Suby wt. 2	Silver Nessilic Siby wt. 7,00 42,00 3,00 9,00 0,00 0,00 4,94 7,93 CHEN-THANE HARDENER	Catalyst Suby set. 0.00 0.00 7.00 27.00 19.00 0.03 4.62 8.37	Acrysis Modifier 9.biy wt. 30.00 0.00 0.00 0.00 0.00 2.00 2.282 7.835	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
30-41-4 330-26-7 3551-13-7 23-85-4 38-85-6 22-06-0 368-71-9	ethylcenzene xylene trinethylcenzene (n-butyl acetate 1-methoxy-2-presol acetate hexametrylene discovanete isopharona discovanete VOC CONTENT (thigal) DENSITY (thigal)	F75KX Custom Y,by wt. 7,00 42,00 1,00 0,00 0,00 0,00 4,80 9,20 TILE-GLAD II ENAMEL BSZW101 Pure White	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 4.77 9.33	Ciear Base %by wt. 7.00 36.00 1.00 9.00 0.00 0.00 1.7.74 B82W193 Deeptorse Base	Glose Black Suby wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0.	Gray Primar Suby set. 8.00 21.00 0.00 0.00 0.00 0.00 0.00 0.00	Rd. Oxide Print Scby wt. 8.56 21.50 2.1.50 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Silver Messilic Siby wt. 7,00 42,00 9,00 9,00 9,00 9,00 9,00 9,00 9,00	Catalyst Suby wt. 0.00 0.00 7.00 19.00 0.03 4.02 8.37	Acrysic stockfor Suby wt. 5.00 1 5.00 1 30.00 1 0.0	TOTAL bigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
10-41-4 130-20-7 1551-13-7 13-80-4 18-85-6 12-06-0 106-71-8	ethylbenzene xylene trinethylbenzene o-bulyi acetate 1-methoxy-2-proenol acetate hexametrylene discoyanate isopharone discoyanate VOC CONTENT (thigal) DENSITY (thigal)	F7SKC Custom %by wt. 7.00 42.00 1.00 0.00 5.00 0.00 4.80 9.20 TILE-CLAD II ENAMEL Bazwioi Pure White %by wt	White Base % by wt. 36.00 0.00 0.00 0.00 0.00 4.77 9.33 Bazwisz Bazwisz Bidtone Base % by wt.	Clear Base %by wt. 3 7.00 3.900 1.000 1.000 0.000 0.000 0.774 4.95 1.7.74 BB2W103 Desptors Base %by wt	Gloss Black Skly wt. 6.00 96.00 9.00 9.00 9.00 9.00 9.77 9.77	Gray Primer Suby wt. 8.00 9.00 0.00 0.00 0.00 0.00 1.00 0.00 1.	Rd. Oxide Print Stby wt	Silver Notalic Suby wt. 7.00 42.01 3.00 0.00 0.00 0.00 4.94 7.92 CHEM_THANE HARDENER CT-300 %by wt	Catalyst Suby set. 0.00 7.00 27.00 19.00 0.03 0.01 4.02 8.37	Acrysis stockfer 54by wt. 5.00 30.00 10.00	TOTAL Brigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00 0.00 0.00				
0-41-4 30-20-7 351-13-7 3-86-4 8-65-6 2-208-0 96-71-9	ethythenzene xylene tyhene o-butyl acetate 1-methoxy-2-proenol acetate hexametrylene discoyanate teopherone discoyanate VOC CONTENT (th/gal) DENSITY (th/gal) TAP ID ethylene glycol	F7SKX Custom %by wt. 7.00 42.00 1.00 6.00 5.00 6.00 4.90 9.20 TILE-CLAD II ENAMEL BEZW101 Pure White %by wt 5.00	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 4.77 9.33 88299162 Michore Base %by wt	Ctear Base %by wt. 3 7.00 39.00 1 9.00 1 0.00 1 0.00 1 0.00 1 7.74 B82W103 Desptore Base %by wt 5.00	Glose Black Suby wt. 6.00 96.00 0.00 0.00 0.00 0.00 4.00 4.00 7.76 BB27104 Ustradinep Base Suby wt. 5.00	Gray Primer Suby wt. 3.00 21.00 0.00 0.00 0.00 0.00 1	Rd. Oxide Primi Suby wt. 6.04 21.00 21.00 0.00 0.00 0.00 0.00 0.00 0.	Silver Nessilic Suby wt. 7.00 42.00 3.00 6.00 6.00 6.00 4.94 7.92 CHEM-THANE HARDENER CT-300 Suby wt	Catalyst Suby set. 0.00 0.00 7.00 19.00 0.01 4.02 8.37 BU-94 Thinkings	Acrysis Modifier Suby wt. 3.0.00 3.0.00 0.000 0.000 0.000 0.000 1.000 2.2.22 7.8.35 TAP-D TOTAL Milgai 0.800	TOTAL birgal 2.57 12.54 0.72 1.12 0.00 0.00				
0-41-4 30-20-7 551-13-7 3-85-4 8-85-5 2-06-0 96-71-9 VS No. 7-21-1	ethyltenzene sylene tylene tylene n-butyl aceterie 1-methoxy-2-proenol aceterie langethoxy-2-proenol aceterie langethoxy-2-proenol aceterie langethoxy-2-proenol aceterie langethoxy-2-proenol aceterie langethoxy-2-proenol langethoxy-2-proeno	F75KX Custom %by wt. 7,00 42,00 1,00 6,00 6,00 6,00 9,00 4,80 9,20 TILE-GLAD II ENAMEL BSZW101 Pure White %by wt 5,00	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 4.77 9.33 B829Y162 Midtorie Base %by wt 5.00 2.00	Ctear Base %by wt. 7.00 39.00 1.00 9.00 0.00 0.00 1.00 0.00 4.95 1.7.74 B82W193 Deeptors Base %by wt 2.00 2.00	Glose Black % by wt. 6.00 96.00 9.00 9.00 9.00 9.00 9.00 9.	Gray Primer Suby wt. 8.00 21.00 0.00 0.00 0.00 0.00 0.00 0.00	Rd. Oxide Press Stby wt. 2.1.90 2.1.90 3.00 3.00 3.00 4.00 4.5.00 5.9.80 DTM BONDING PRIMER BREASO Suby wt 1.00 1.00 1.00	Silver Nessilic Siby wt. 7,00 42,00 3,00 9,00 9,00 9,00 4,04 7,93 CHEN-THANE HARDENER CT-300 %by wt 9,00	Catalyst Suby set. 0.00 0.00 7.00 19.00 0.01 4.02 8.33 SU-84 THENNER THENNER 3.by set. 0.00	Acrysis stockfer Suby wt. 3.000 0.000 0.000 0.000 0.000 0.000 1.000 2.822 7.8.355 TAP-D TOTAL Subjest 0.000 0.000	TOTAL birgul 2.57 12.54 0.72 1.25 0.72 1.12 0.00 0.00				
0-41-4 30-20-7 551-13-7 3-86-4 8-85-6 2-06-0 96-71-9 18 No. 7-21-1 0-41-4 30-20-7	ethylbenzene sylene tylene n-butyl acetale 1-methosy-2-presol acetale hexametrylene discovanshe isopharona discovanshe sopharona d	F7SKC Custom %by wt. 7,00 42,00 6,00 6,00 6,00 6,00 9,20 11LE-CLAD II ENAMEL BRAMEL BRAMEL BRAMEL Styrton Pure White %by wt 5,00 2,00 10,00	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 BISZW162 Rictions Base %by wt 5.00 2.00 12.00	Ctear Base %by wt. 7,00 36,00 1,00 9,00 0,00 0,00 4,95 1,7,74 B82W103 Desptore Base %by wt 5,00 2,00 12,00	Glose Black % by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0.	Gray Primer Siby wt. 8.00 9.00 9.00 9.00 9.00 9.00 9.00 9.	Rd. Oxide Print Stby wt	Silver Messilic Siby wt. 7,00 42,00 3,00 6,00 0,00 0,00 0,00 0,00 4,94 7,92 CHEM_THANE HARDENER CT-306 Mby wt 0,00 26,00 26,00 26,00	Catalyst 5.by set. 0.00 0.00 0.00 1.00 0.00 0.00 0.00 0.	Acrysis stockfer 5.by wt. 3.0.00 0.00 0.00 0.00 0.00 0.00 1.00	TOTAL Brigal 2.57 12.54 0.72 1.25 1.12 0.00 0.00 0.00 0.00 0.00 0.00 0.00				
0-41-4 30-20-7 551-13-7 3-98-4 8-85-8 2-08-0 58-71-9 58-71-9 48 No. 7-21-1 7-21-1 30-20-7	ethyltrenzene xylene tynethyltrenzene o-butyl acetate 1-methoxy-2-proenol acetate hexametrylene discoyanate soopherone discoyanate VOC CONTENT (thogal) DENSITY (thogal) TAP ID ethylene glycol ethylene glycol ethylene glycol ethylene currene	F7SKC Custom %by wt. 7,00 42,00 1,00 6,00 6,00 6,00 9,00 1,00 9,20 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1	Vitate Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 4.77 9.33 B42W162 Nictorie Base %by wt 5.00 2.00 12.00 0.00	Clear Base %by wt. 3	Glose Black Suby wt. 6.00 36.00 0.00 0.00 0.00 0.00 4.90 7.77 Sharttoa Ustradaep Base Suby wt 5.00 3.00 1.00	Gray Primer Suby wt. 3.00 3.00 0.00 0.00 0.00 0.00 0.00 3.00 6.20 B82811 Black 7.50 2.00 1.00 2.00 1.00 2.00 3.00 4.94 5.20 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	PRd. Oxide Press Suby wt. 2	Silver Nessilic Siby wt. 7.00 42.00 3.00 9.00 9.00 9.00 4.94 7.93 CHEM-THANE HARDENER CT-306 May wt 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0	Catalyst Suby set. 9.00 9.00 7.00 19.00 0.03 4.02 8.37 SU-84 Triminier 7by wt 0.00 0.00 0.00 0.00 4.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Acrysis stockfer Suby wt. 3	TOTAL birgal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
0-41-4 130-20-7 1551-13-7 15-85-4 18-65-6 12-06-0 166-71-8 18-80-0 17-21-1 0-41-4 130-20-7 162-8	ethythenzene xylente tyjnethythenzene o-butyl acetate 1-methoxy-2-proenol acetate hexametrylene discoyanate teopherone discoyanate teopherone discoyanate VOC CONTENT (thigal) DENSITY (thigal) TAP 4D ethytene glycol ethythenzene zylene trimethythenzene	F75KC Custom %by wt. 7,00 42,00 1,00 0,00 5,00 0,00 0,00 4,50 9,20 TILE-CLAD II ENAMEL B82W101 Pure White %by wt 5,00 0,00 0,00 0,00 0,00 0,00 0,00 0,0	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 88429Y162 8840tore Base %by wt 2.00 0.20 0.20 12.00 0.20 12.00	Clear Base %by wt. 7,00 39,00 1,00	Glose Black Suby wt. 6.00 96.00 0.00 0.00 0.00 0.00 0.00 0.	Gray Primar Suby wt. 21.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Ped. Oxide Prime Suby wt. 2	Silver Nessilic Siby wt. 7,00 42,00 3,00 6,00 6,00 6,00 4,94 7,93 CHEN-THANE HARDENER CT-300 May wt 0,00 26,00 6,00	Catalyst Suby wt. 0.00 0.00 7.00 19.00 0.03 4.62 8.37 SU-94 THINNER Suby wt. 0.00 0.00 0.00	Acrysis stockfer Suby wt. 3.000 0.000 0.000 0.000 0.000 0.000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.00000 1.00000	TOTAL birgul 2.57 12.54 0.72 1.25 0.72 1.25 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0				
0-41-4 130-20-7 1351-13-7 13-95-4 18-65-6 12-06-0 166-71-9 166-71-9 17-21-1 0-41-4 130-20-7 130-20-7 11-78-2	ettythenzene zylene tylene tytenet tytenetythenzene tyhene tyhene tyhene tyhene tyhene thezernetytene discovanete type t	F7SKC Custom Y-by wt. 7 00 42 00 1 00 0 00 0 00 0 00 0 00 1 00 0 00 1 0	Virbite Base % by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 B82/Y162 Micitorie Base % by wt 5.00 2.00 12.00 12.00 5.00	Ctear Base %by wt. 7.00 39.00 1.00 9.00 0.00 0.00 1.00 0.00 4.85 1.7.74 B82W193 Deeptorts Base %by wt 5.00 0.00 12.00 0.00	Glose Black % by wt. 6.00 96.00 9.00 9.00 9.00 9.00 9.00 9.	Gray Primar Suby wt.	Rd. Oxide Primi Schy wt. 2.1.90 2.1.90 3.00 3.00 3.00 3.00 4.5.00 5.9.90 DTNS BONDINGS PPRIMER BREASG Suby wt 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.0	Silver Metallic Siby wt. 7,00 42,00 9,00 9,00 9,00 9,00 4,94 7,93 CHEM-THANE HARDENER CT-300 Siby wt 9,00 9,00 9,00 9,00 9,00 9,00 9,00 9,0	Catalyst Suby wt. 0.00 0.00 7.00 19.00 0.01 4.02 5.14 Therefore Table Wt. 0.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00	Acrysis stockfer Suby wt. 3.000 0.000 0.000 0.000 0.000 0.000 1.0000 7.335 TAP-D TOTAL Shipel 0.000 0.000 0.000 1.00000 1.00000 1.00000 1.00000 1.00000 1.00000 1.000000 1.00000000	TOTAL birgul 2.57 12.54 0.72 1.25 0.72 1.25 0.00 0.00 0.00				
30-41-4 330-20-7 3551-13-7 3551-13-7 3551-13-7 35-85-8 12-06-0 86-71-9 86-71-9 86-71-9 17-71-1 10-41-4 130-20-7 1-42-9 11-78-2 133-85-4	ethyltenzene xylense rytense rytense	F7SKC Custom 7,00 42,00 42,00 6,00 6,00 6,00 9,00 4,80 9,20 TILE-CLAD II ENAMEL BBZW101 Pure White %by wt 5,00 10,00 10,00 6,00 6,00 6,00 6,00 6,00	White Base % by wt. 36.60 0.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 B82W182 B82W182 C2.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	Clear Base %by wt. 3 7.00 39	Glose Black Supy wt. Gotos Go	Gray Primar Suby wt.	PRd. Oxide Print Suby wt	Silver Nessilic Suby wt. 7.00 42.00 3.00 9.00 9.00 9.00 4.94 7.82 CHEM-THANE HARDENER CT-306 Suby wt 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0	Catalyst Valy vt. 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Acrysis stockfer 54by wt. 5.00 30.00 1 9.00	TOTAL birgal 2.57 12.54 0.72 1.25 1.12 0.00 0.00				
0-41-4 39-20-7 39-80-4 8-85-8 2-06-0 98-71-9 8-8 No. 7-21-1 0-41-4 30-20-7 555-13-7 1-78-2 33-85-4	etrythenzene xylene trynethythenzene o-butyl acetate 1-methoxy-2-proenol acetate hexametrylene discoyanate teopherone discoyanate VOC CONTENT (thogal) DENSITY (thigal) TAP ID etrytene glycol etrytene glycol etrytene glycol etrytene currene trimetry/benzene 2-butoxyruethanol curbon black etica	F7SKC Custom %by wt. 7,00 42,00 6,00 6,00 6,00 6,00 7,00 7,00 7,00 7	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 B\$ZWY162 Michone Base %by wt 5.00 12.00 0.00 0.00 0.00 0.00 0.00 0.00	Citer Base %by wt. 3	Glose Black Suby wt. 6.00 96.00 9.00 9.00 9.00 9.00 4.90 7.76 9827104 Ustradine Base Suby wt. 5.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	Gray Primar Suby wt.	PRd. Oxide Primir Suby wt. 2	Silver Nestilic Suby wt. 7.00 42.00 3.00 6.00 6.00 6.00 6.00 6.00 6.00 6	Catalyst Suby set. 0.00 0.00 19.00 19.00 0.01 4.62 8.37 SU-84 Thinking 5.by set. 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Acrysis stockfer Suby wt. 3.0.00 0.000 0.000 0.000 0.000 1.000	TOTAL birgal 2.57 12.54 0.72 1.12 0.90 0.00				
0-41-4 130-20-7 1351-13-7 13-96-4 18-85-8 12-08-0 186-71-9 18-8-71-9 18-7-21-1 0-41-4 130-20-7 13-2-1 15-51-13-7 11-78-2 133-85-4 1785-19-0	ettythenzene sylene tytene tytene disocyanete voc CONTENT (totget) DENSITY (totget) TAP ID strytene glycol ettytene glycol ettytene glycol ettytene sylene currene stimettytenzene 2-butosyroethanol carton black etikor Casiciam carbonate	F7SKX Custom Y-by wt. 7 00 42 00 1 00 0 00 0 00 0 00 0 00 1 00 1 00	Virbite Base %by wt. 6.00 36.00 0.00 0.00 0.00 0.00 0.00 0.	Clear Base %by wt. 7,00 39,00 1,00 0,00	Glose Black Suby wt. 6.00 98.00 9.00 9.00 9.00 9.00 9.00 9.00	Gray Primar Suby wt.	Pet. Oxide Press Suby wt. 2.1.00 2.1.00 2.1.00 2.00 2.00 2.00 2.	Silver Metallic Siby wt. 7,00 42,00 3,00 9,00 9,00 9,00 4,00 7,90 CHEM-THANIE HARDENER CT-300 Siby wt 9,00 9,00 9,00 9,00 9,00 9,00 9,00 9,0	Catalyst Suby wt. 0.00 0.00 7.00 19.00 0.01 4.02 8.33 8U-84 THINNER 3by wt 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	Acrysis stockfer Suby wt. 3.000 0.000 0.000 0.000 0.000 1.000	TOTAL birgal 2.57 12.54 0.72 1.25 0.00 0.00 0.00				
30-41-4 130-20-7 130-20-7 130-20-7 130-20-7 130-20-8 130-20-7 130-20-7 130-20-7 117-78-2 130-20-4 117-78-2 130-30-4 117-78-2 130-30-4 130-30-	ethylbenzene xylene tylene n-butyl soetste 1-methoxy-2-proenel acetate hexametrylene discoyanate isopharona ethocyanate voc content (thigal) DENSITY (thigal) TAP ID ethylene glycol ethylbenzene xylene currene stymetry/benzene 2-butoxyroethanol carbon black etike carbon carbonate n-bunyl acetata n-bunyl acetata	F7SKC Custom %by wt. 7,00 42,00 6,00 6,00 6,00 6,00 4,80 9,20 TILE-CLAD II ENAMEL BB2N101 Pure White %by wt 5,00 10,00 12,00 12,00 6,00 6,00 6,00 6,00 6,00 6,00 6,00	Virbite Base %by wt. 36.00 0.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 B82W182 B82W182 C12.00 0.00 12.00 0.00 0.00 0.00 0.00 0.0	Clear Base %by wt.	Glose Black Saly wt. Gotos Go	Gray Primer Suby wt	PRd. Oxide Primir Suby wt. 2 1.00 3.00 0 0.00	Silver Nessilic Siby wt. 7.00 42.00 9.00 9.00 9.00 9.00 4.94 7.82 CHEM-THANE HARDENER CT-300 Siby wt 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0	Catalyst 9,by set. 0,000 (0,0) (0,000 (0,0) (0,000 (0,0) (0,000 (0,0) (0,000 (0,0)	Acrysis stockfer 54by wt. 5.00 30.00 1 9.00	TOTAL bidgel 2.57 12.54 0.72 1.25 1.12 0.00 0.00 0.00				
0-41-4 30-20-7 30-20-7 3-80-4 8-85-6 2-06-0 36-71-9 18-81-1 19-20-7 19-20-7 1-78-2 33-85-4 765-19-0	ettythenzene sylene tytene tytene disocyanete voc CONTENT (totget) DENSITY (totget) TAP ID strytene glycol ettytene glycol ettytene glycol ettytene sylene currene stimettytenzene 2-butosyroethanol carton black etikor Casiciam carbonate	F7SKX Custom Y-by wt. 7 00 42 00 1 00 0 00 0 00 0 00 0 00 1 00 1 00	Virbite Base %by wt. 6.06 36.00 0.00 0.00 0.00 0.00 0.00 4.77 9.33 B42W162 Nictorie Base %by wt 5.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	Clear Base %by wt. 3	Glose Black Suby wt. G.O. G.O	Gray Primar Suby wt.	PRd. Oxide Press Suby wt. 2	Silver Nestilic Siby wt. 7.00 42.00 9.00 9.00 9.00 4.94 7.92 7.92 CHEM-THANE HARDENER CT-306 May wt 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0	Catalyst Suby set. 9.00 9.00 19.00 19.00 0.01 4.60 8.37 SU-84 Thinking 0.00	Acrysis stockfer Suby wt. 3.0.00 3.0.00 0.000 0.000 0.000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.0000 1.0.00000 1.0.00000000	TOTAL bidgel 2.57 12.54 0.72 1.25 1.12 0.00 0.00 0.00				

PAGE 2				ļ				
HVLP maximum flowrate (gal/hr)	3.43		SCREEN3		ļ		······	<u> </u>
				ug/m3				
			0.246	mg/m3			······································	
TAP-A,B,C,D			ļ					
TOTAL				ļ				<u> </u>
	TAP	TAP	EL	MODELED	AAC			
	CONTENT	EMISSION RATE		24-HR MAX		COMPLIANCE?		
PM-10	lb/gal	lb/hr	lb/hr	mg/m3	mg/m3	·		
carbon black	0.16280	0.00059	0.23000		0.17500			
silica	0.06450	0.00023	0.66700		0.50000			
calcium carbonate	0.03870	0,00014	0.66700		0.50000	,		
iron oxide	0.08070	0.00029	0.33300		0.25000			
quartz	26.71486	0.09676	0.00670	0.00238	0.00500	YES]
mica	2,10049	0.00761	0,20000		0.15000			
HOURLY PM-10		0.10563	lb/hr					
HOURLY PM-10 (controlled)		0.02641	· · · · · · · · · · · · · · · · · · ·					
ANNUAL PM-10 (controlled)		0.10668	TAT					
	TAP	TAP	EL	MODELED	AAC			
	CONTENT	EMISSION RATE		24-HR MAX		COMPLIANCE?		
VOC's	lb/gal	lb/hr	lb/hr	mg/m3	mg/m3			
methyl ethyl ketone	3.75000	12,86250	39,30000		29,50000			
ethylene glycol	1.12970	3.87487	0.84600	0.09532	6.35000	YES		
ethylbenzene	4.51840	15.49811	29.00000		21.75000			
xylene	25.53780	87,59465	29.00000	2.15483	21.75000	YES		
trimethy/benzene	5.51410	18,91336	8.20000	0.46527	6.15000	YES		
2-butoxyethanol	3.10530	10.65118	8.00000	0.26202	6.00000	YES		
toluene	3.32310	11.39823	25.00000		18.75000			1
n-butyi alcohol	0.50160	1.72049	10.00000		7.50000			
n-butyl acetate	1.64220	5,63275	47.30000		35.50000			
1-methoxy-2-prosnol acetate	1.12280	3,85120	24.00000		3.60000			1
hexamethylene diisocyanate	0.00139	0.00475	0.00200	0.00012	0.00150	YES		1
isopherone diisocyanate	0.00046	0.00158	0.00600		0.00450		<u> </u>	-
HOURLY VOC (uncontrolled)		172.00369	lb/hr		1	<u> </u>	l	
HOURLY VOC (controlled)		43,00092			1			1
ANNUAL VOC (controlled)		43,43093		-	<u> </u>			1
	-		† · • · · · · · · · · · · · · · · · · ·	<u> </u>	1			1
· · · · · · · · · · · · · · · · · · ·				<u> </u>	†		· · · · · · · · · · · · · · · · · · ·	1
Note: HVLP painting is limited to 6.	hr/day to protect	he 24-hr PM-10 a	mblent stand	ard. Subsecu	entiv. houriv \	OC emissions		1
are inherently limited by the 6.0 hr/s							 	T
tin inberently limited by the \$ 0 hou								

APPENDIX C

AIRS Information

EPSCO Corporation T2-000002 April 2000

ABBREVIATED AIRS DATA ENTRY SHEET

Name of Facility:

EPSCO Corporation

AIRS/Permit #:

001-00155

Permit Issue Date:

May 5, 2000

*Source/Emissions Unit Name (25 spcs)

(Please use name as indicated in permit)

(8 digit #)

Air Program

(SIP/NESHAP/ NSPS/PSD)

*General Painting

40200110

SIP

Abrasive Blasting

40202599

SIP

RETURN TO PAT RAYNE AIRS-PT.LST (3/99)